The Department of Natural Resources is providing this report to satisfy the requirements of the "Procedures Concerning Certain Licenses Act", IC 14-11-4, and its associated administrative rule, 312 IAC 2-3. The application files are available for public inspection at the Division of Water's office in Indianapolis. Please contact the Division's Technical Services Section at (317) 232-4160 or the toll free number 1-877-928-3755 to make an appointment for file review. Photocopies may be made for a nominal charge of \$0.10 per 8 1/2 " X 11" copy.

A pre-action public hearing on an application may be requested by filing a written petition with the Director, Division of Water:

Michael W. Neyer, P.E., Director Division of Water Room W264 402 West Washington Street Indianapolis, Indiana 46204

For a petition to be considered valid it must:

- 1. Contain the typed or legibly printed name and complete mailing address of each petitioner;
- 2. Be signed by a minimum of 25 individuals who are at least 18 years old and either reside in the county where the project will take place or own real property within 1 mile of the project site;
- 3. Affirm that each signatory to the petition satisfies the requirements of item 2; and
- 4. Identify the application for which the public hearing is being requested either by the application # or the applicant's name and the project description.

A petition which does not meet these requirements will be considered invalid and the hearing request will not be granted.

A person may request that the Department provide written notice of its action on an application by filing a written request with:

Division of Water Room W264 402 West Washington Street Indianapolis, Indiana 46204

The request must identify the application by either the application # or the applicant's name and the project description.

Application # : FW-24519

Stream : Unnamed Tributary St.

Joseph River

Applicant : City of Fort Wayne - City Utilities

Len Poehler - Director

One Main Street

Room 480

Fort Wayne, IN 46802

Description : Approximately 1560 lineal feet of eroded stream banks will be stabilized with 3' by

3' gabion baskets. The gabions will be keyed into the stream bed at its base. the gabions will establish a uniform 12' bottom. Only the front side of the gabions will be exposed and will be a maximum of 2.5' high at the toe of the bank. Some riprap, shot rock and erosion control blankets will be utilized fro the installation of the gabions and for erosion control. Also, temporary rock check dams will be placed at two locations. Kramer Ditch reconstruction is proposed. Details of the project are contained in information and plans received at the Division of Water

on September 28, 2007.

Location : Beginning at the Woodbrook Drive crossing and extending downstream

approximately 1100 feet; also beginning at the Woodbrook Drive crossing and

extending upstream (southwesterly) approximately 475 feet

DOWNSTREAM: at Fort Wayne, Washington Township, Allen County

J B Richardville Reserve, Cedarville Quadrangle

Quad Code: 4108521

UTM Coordinates: Downstream 4556416 North, 658956 East

UPSTREAM:

UTM Coordinates: Upstream 4556368 North, 658616 East

Statute/Rule : Flood Control Act, IC 14-28-1, with the associated Flood Hazard Area Rule, 312

Application # : FW-24568

Stream : Potts Ditch

Applicant : Trinity Park United Methodist Church

Mike Manning

207 West Park Avenue Greenfield, IN 46140-1445

Description : A 130' by 160' asphalt parking lot will be constructed at grade as part of a

proposed building addition located out of the floodway. Details of the project are contained in information and plans received at the Division of Water on October

24, 2007 and November 16, 2007.

Location : Along the northeast bank of the stream approximately 500' east and 260 south of

the Park Avenue stream crossing

near Greenfield, Center Township, Hancock County

NE¼, NE¼, SW¼, Section 32, T 15N, R 7E, Greenfield Quadrangle

Quad Code: 3908577

UTM Coordinates: Downstream 4450307 North, 605046 East

Statute/Rule : Flood Control Act, IC 14-28-1, with the associated Flood Hazard Area Rule, 312

Application # : FW-24589

Stream : West Fork White River

Applicant : \*Department of Natural Resources

Division of Fish & Wildlife

Gregg McCollam

402 West Washington Street, Room W273

Indianapolis, IN 46204-2781

Description : A 360' by 12' gravel drive will be constructed along the southeast side of the

northbound lane of State Road 67. A 75' by 75' gravel parking area will be constructed at the southeast end of the drive. An 8' by 450' footpath will be constructed from the parking lot to an area at the confluence of Sycamore Creek and West Fork White River. An 18" culvert will be placed under the gravel drive at the toe of the slope on the highway right-of-way. Approximately 500 cubic yards of fill for the drive will extend approximately 70' into the forested area. Details of the project are contained in information and plans received at the

Division of Water on November 1, 2007.

Location : Approximately 2500' northeast of the State Road 67 and State Road 39

intersection

near Martinsville, Clay Township, Morgan County

SE¼, SW¼, SW¼, Section 9, T 12N, R 1E, Martinsville Quadrangle

Quad Code: 3908644

UTM Coordinates: Downstream 4370972 North, 548761 East

Statute/Rule : Flood Control Act, IC 14-28-1, with the associated Flood Hazard Area Rule, 312

Application # : FW-24605

Stream : Unnamed Tributary Cool

Creek

Applicant : Town of Westfield

Curt Cooley 2706 171st Street Westfield, IN 46074

Description : Phase 1 consists of new pedestrian trail construction along the Monon corridor

from the north side of 146th Street to the south side of 156th Street, including the at-grade street crossing at 146th Street. The trail will closely follow the existing horizontal and vertical alignment of the abandoned railroad corridor. The typical trail cross section will consist of one 12' wide paved path bordered by 2-4' wide stabilized shoulders. An existing railroad culvert will be retained for crossing an unnamed tributary to Cool Creek. A potential pedestrian trail head location has

been identified near Greyhound Pass. The total length of Phase 1 is

approximately 1 mile. Details of the project are contained in information received electronically at the Division of Water on November 9, 2007 and in plans and

information received at the Division of Water on

Location : Along the Monon corridor from the north side of 146th Street to the south side of

156th Street

near Westfield, Washington Township, Hamilton County

Section 13, T 18N, R 3E, Westfield Quadrangle

Quad Code: 4008612

Statute/Rule : Flood Control Act, IC 14-28-1, with the associated Flood Hazard Area Rule, 312

Application # : FW-24606

Stream : Unnamed Tributary Cady

Marsh Ditch

Applicant : Atlas Construction & Roofing

Al Villarreal, President 9247 Spring Street

Highland, IN 46322-2538

Description : A 72' x 104' building constructed on the site is proposed. Specific project

information will be added to the description as the application is further reviewed.

Details of the project are contained in information and plans received at the

Division of Water on November 9, 2007.

Location : Along the east bank of the Unnamed Tributary Cady Marsh Ditch (Seberger

ditch) 500' west of Kennedy Avenue

at Schererville, Lake County

NW1/4, Section 4, T 35N, R 9W, Highland Quadrangle

Quad Code: 4108754

Statute/Rule : Flood Control Act, IC 14-28-1, with the associated Flood Hazard Area Rule, 312

Application # : FW-24621

Stream : Hanna Arm Of Tuesburg

Ditch

Applicant : LaPorte County Board of Commissioners

Rick McVay

813 Lincolnway, Ste. 301 LaPorte, IN 46350-3400

Description

The LaPorte County Board of Commissioners is preparing design plans to rehabilitate the LaPorte County Bride No. 185 over Hanna Arm of Tuesburg Ditch. The project is located along County Road 650 West over Hanna Arm of Tuesburg Ditch located approximately 0.11 miles south of the intersection of County Road 650 West and Bigler Road. The proposed project will rehabilitate the structure to correct water seepage through beams, cracking and leaching at abutments, and deteriorating wingwalls. The project consists of placing riprap over geotextiles at the piers and channel banks for scour protection. Approximately 0.72 cubic yards of riprap will be placed around the piers (0.35 cys/lft - left side and 0.37 cys/lft - right side). The riprap will extend 24' both upstream and downstream. This will result in approximately 1,051.3 square feet of riprap protection (652 sqft - left side and 399.3 sqft - right side). Details of the project are contained in information received electronically at the Division of Water on December 3, 2007 and in plans and information received at the Division of Water on

Location

This proposed project is located along County Road 650 West over Hanna Arm of Tuesburg Ditch located approximately 0.11 miles south of the intersection of County Road 650 West and Bigler Road, LaPorte County, Indiana. The project limits extend just south of Hana Arm of Tuesburg Ditch to just north of Hana Arm of Tuesburg Ditch. Hana Arm of Tuesburg Ditch flows westward across the project limits and continues in a southwestwardly direction into the Kankakee River.

near LaPorte, Dewey Township, LaPorte County Section 36, T 33N, R 4W, English Lake Quadrangle

Quad Code: 4108637

Statute/Rule

Flood Control Act, IC 14-28-1, with the associated Flood Hazard Area Rule, 312

Application # : FW-24622

Stream : Yellow River

**Applicant** : LaPorte County Board of Commissioners

Rick McVav

813 Lincolnway, Ste. 301 LaPorte, IN 46350-3400

Description

The LaPorte County Board of Commissioners is preparing design plans to rehabilitate the LaPorte County Bride No. 186 over Yellow River and Kankakee River. The project is located along County Road 650 West over Yellow River and Kankakee River located approximately 0.11 miles south of the intersection of County Road 650 West and Bigler Road, LaPorte County, Indiana. The proposed project will rehabilitate the structure to correct cracks in the pavement surface, deterioration between in beams, scaling on the piers, and a broken wingwall. Riprap will be placed over geotextiles at the piers and channel banks for scour protection. Approximately 0.75 cubic yards of riprap will be placed around the piers of Yellow River (0.30 cys/lft - left side and 0.35 cys/lft - right side). The riprap will extend 24 feet both upstream and downstream. This will result in approximately 494.9 square feet of riprap protection (316.5 sqft - left side and 178.4 sqft - right side). Details of the project are contained in information received electronically at the Division of Water on December 3, 2007 and in plans

and information received at the Division of Water on

Location

: This proposed project is located along County Road 650 West over Yellow River and Kankakee River located approximately 0.11 miles south of the intersection of County Road 650 West and Bigler Road, LaPorte County, Indiana. The project limits extend just south of Yellow River to just north of Kankakee River. Yellow River flows westward across the project limits and continues to flow in a northwestwardly direction into Kankakee River. Kankakee River flows in a westward direction across the project limits.

near LaPorte, Dewey Township, LaPorte County Section 36, T 33N, R 4W, English Lake Quadrangle

Quad Code: 4108637

Statute/Rule

Flood Control Act, IC 14-28-1, with the associated Flood Hazard Area Rule, 312

Application # : FW-24623

Stream : West Fork White River

Applicant : Delaware County Commissioners

Michael Denton 100 West Main Street

Room 309

Muncie, IN 47305

Description : A 1525' area will be filled in the east (left) floodplain of the West Fork White River

for the replacement of severly damaged pavement. The fill will vary in depth from -3.48" to +12.96" for a total of 318.1 square feet of fill. It will be along existing County Road 300 South alignment which has 2:1 sideslopes. The finished elevation of the fill will vary along the roadway according to vertical curve requirements. The concrete and asphalt pavement will be constructed as part of this fill. County Bridge 130 will be rehabilitated as part of this project, however no fill will be placed in the channel and the bridge will remain at its current location on existing abutments. High-Performance Turf Reinforcement Mats will be implemented on the south road sideslope in order to curtail an erosion problem resulting from weir flow. Details of the project are contained in information

received electronically at the Division of Water on December 4, 2007 and in plans and information received at the Division of Water on

Location : This project is located approximately 0.5 miles west of the intersection of County

Road 300 South with State Road 37 between Daleville and Yorktown

near Daleville, Mount Pleasant Township, Delaware County

Section 30, T 20N, R 9E, Gilman Quadrangle

Quad Code: 4008525

Statute/Rule : Flood Control Act, IC 14-28-1, with the associated Flood Hazard Area Rule, 312

Application # : FW-24625

Stream : Nineveh Creek

Applicant : Camp Atterbury JMTC

Anthony W Martin
Camp Atterbury JMTC

DOTA

DPTM

Edinburgh, IN 46124-5000

Description

The proposed project would install cable concrete mats and riprap to harden and stabilize a stream crossing. The area impacted below the ordinary high water mark will be approximately 812 square feet. The crossing will be excavated to an approximate depth of 24.5 which will result in the installed materials being at the same elevation as the existing stream bed. Geotextile fabric will be placed between the stream and the riprap sub-base. The sub-base will consist of 8" of 6" riprap and 8" of 2" riprap on top of which the cable concrete will be keyed into the upstream side. An apron of 6"- 8" riprap will be placed 10' out on the upstream side of the cable concrete which is then followed up by 5' of 6" - 8" riprap on the downstream side. Standard erosion control practices will be utilized during and after construction including: silt fencing, and hydro seed mulch with native vegetation. Details of the project are contained in information received electronically at the Division of Water on December 4, 2007 and in plans and information received at the Division of Water on December 6, 2007.

Location

: Approximately 0.5 miles east of Lincoln Road and 0.7 miles west of County Line

& Schoolhouse Road intersection

UTM Coordinates (NAD 83 16N) 435517N 581233E

at Nineveh, Nineveh Township, Johnson County

SE1/4, SW1/4, Section 35, T 11N, R 4E, Nineveh Quadrangle

Quad Code: 3908631

Statute/Rule

Flood Control Act, IC 14-28-1, with the associated Flood Hazard Area Rule, 312

Application # : FW-24626

Stream : Kankakee River

Applicant : LaPorte County Commisioners

Rick McVay

1805 West 5th Street LaPorte, IN 46350-4651

Description

The LaPorte County Board of Commissioners is preparing design plans to rehabilitate the LaPorte County Bride No. 186 over Yellow River and Kankakee River. The project is located along County Road 650 West over Yellow River and Kankakee River located approximately 0.11 miles south of the intersection of County Road 650 West and Bigler Road, LaPorte County, Indiana. The proposed project will rehabilitate the structure to correct cracks in the pavement surface, deterioration between in beams, scaling on the piers, and a broken wingwall. Riprap will be placed over geotextiles at the piers and channel banks for scour protection. Approximately 0.71 cubic yards of riprap will be placed around the piers of Kankakee River (0.36 cys/lft - left side and 0.35 cys/lft - right side). The riprap will extend 24 feet both upstream and downstream. This will result in approximately 700.4 square feet of the river being protected with riprap (455.5 square feet - left side and 244.9 square feet - right side). Details of the project are contained in information received electronically at the Division of Water on December 4, 2007 and in plans and information received at the Division of Water on

Location

This proposed project is located along County Road 650 West over Yellow River and Kankakee River located approximately 0.11 miles south of the intersection of County Road 650 West and Bigler Road, LaPorte County, Indiana. The project limits extend just south of Yellow River to just north of Kankakee River. Yellow River flows westward across the project limits and continues to flow in a northwestwardly direction into Kankakee River. Kankakee River flows in a westward direction across the project limits.

near LaPorte, Dewey Township, LaPorte County Section 36, T 33N, R 4W, English Lake Quadrangle

Quad Code: 4108637

Statute/Rule

Flood Control Act, IC 14-28-1, with the associated Flood Hazard Area Rule, 312

Application # : PL-20912

Lake : Upper Fish Lake

Applicant : Fish Lake Conservancy District

306 North Lilac Drive

Walkerton, IN 46574-9525

Description : An existing 140' long by 150' wide sediment basin located at the mouth of Fish

Creek constructed and previously approved under PL-15694 will be restored to its original condition by hydraullically dredging a maximum of 4' of accumulated sediment from the basin. The excavated material will be transported to an upland detention area where it will be dewatered before being transported to an offsite disposal area. Adequate detention time will be provided to allow suspended sediments to settle out of the decanted water before returning the water to the stream. Details of the project are contained in information and plans received at

the Division of Water on November 8, 2007.

Location : At the mouth of Fish Creek (inlet to Upper Fish Lake)

near Stillwell, Lincoln Township, LaPorte County

NW1/4, SW1/4, NW1/4, Section 16, T 36N, R 1W, Stillwell Quadrangle

Quad Code: 4108655

UTM Coordinates: Downstream 4602577 North, 538160 East

Statute/Rule : Lakes Preservation Act, IC 14-26-2, with the associated Public Freshwater Lake

Rule, 312 IAC 11

RASR010 11 12/06/2007 12:56 PM

Application # : PL-20919

Lake : Lake of the Woods

Applicant : Bremen Conservation Club

8745 North Shore Drive Bremen, IN 46506-8504

Description : The Bremen Conservation Club was issued a permit PL-20218 in March of 2006.

We were not able to get adequate funding until recently and JF New cannot start on the project until May, 2008. Thus we need to reapply. There are very few changes from the original application. We want to restore approximately 500' of shoreline on Lake of the Woods by utilizing a combination of bio-engineering techniques in association with native plants. JFNew will utilize a combination of lift structures and vegetated biologs to create a living seawall in conjunction with a narrow filter strip. Details of the project are contained in information received electronically at the Division of Water on December 4, 2007 and in plans and

information received at the Division of Water on

Location : 8754 North Shore Drive (there is no mailbox or phone at this location), Lake of

the Woods. The Bremen Conservation Club

UTM Coordinates: Downstream 4586825 North, 564440 East

near Bremen, German Township, Marshall County

SE14, NW14, NW14, Section 6, T 34N, R 3E, Bremen Quadrangle

Quad Code: 4108642

Statute/Rule : Lakes Preservation Act, IC 14-26-2, with the associated Public Freshwater Lake

Rule, 312 IAC 11

Application # : PL-20920

Lake : Lake James

Applicant : Gary Penland

204 Oak Lane

Goshen, IN 46526-5026

Description : An existing 2 x 6 wood seawall will be refaced across a 64' frontage of the

applicant on James Lake to prevent deterioration. The refacing will consist of vinyl sheet piling which will be anchored to deadmen 12' into the property from the shoreline. The refacing will have a maximum thickness of 6 inches. (The existing wood wall will be removed and replaced with vinyl.) Details of the project are contained in information received electronically at the Division of Water on December 4, 2007 and in plans and information received at the Division of Water

on

Location : 61 EMS T3 Lane

Legal: 005 061 005

TRCT IN W 1/2 ne aka Lot 10 sho sho Ni Village 1st addition 16-33-7 .21a

parcel # 005-708007-50

near North Webster, Tippecanoe Township, Kosciusko County

Statute/Rule : Lakes Preservation Act, IC 14-26-2, with the associated Public Freshwater Lake

Rule, 312 IAC 11

Application # : PL-20921

Lake : Indiana Lake

Applicant : Loren R Sloat

63083 CR 7

Goshen, IN 46526

Description : A new seawall will be constructed across 30' channel frontage of the applicant

along Indiana Lake to deter shoreline erosion. The wall will consist of vinyl sheet piling which will be anchored to deadmen 12' into the property from the shoreline. It will be 21" high with a maximum thickness of 6". Details of the project are contained in information received electronically at the Division of Water on

December 4, 2007 and in plans and information received at the Division of Water

on

Location : 50796 Cornwall Road; Lot 7 in Cornwall's first addition to Indiana Lake

near Bristol, Washington Township, Elkhart County

SE1/4, Section 9, T 38N, R 6E

Statute/Rule : Lakes Preservation Act, IC 14-26-2, with the associated Public Freshwater Lake

Rule, 312 IAC 11